





SWR Belts for Extreme Conditions



Power Guard[®]
Power at its best!




SWR Power Guard V-belts are made from a high quality Polyester or Aramid fibre loaded CR rubber compound.


The advantages of this compound are high dimensional stability & even load distribution on the belt flanks, even under peak load conditions; improved oil resistance & a wide operating temperature range (-30°C - +80°C).

The stretch-free Aramid cords result in a belt that is virtually service free, although we would recommend an occasional visual inspection of belts & pulleys in accordance with the machine manufacturer's recommendations.

- Reduced slippage and improved efficiency
- Improved oil resistance
- Suitable for -30°C to +80°C operation
- Quiet operation
- No regular retensioning required
- Long service life



Power Guard[®]
Power at its best!



Quality is the key...

SWR has over 50 years of experience in the production of V-belts of consistent quality.

SWR belts are manufactured to ISO5290, RMA IP22, ASAE S211.7, BS3790 & ISO1813 standards in ISO 9002 & ISO TS 16949 certified factory.

No matter what your application, SWR will be able to offer the perfect solution.

Perfection in detail...

The most stringent quality controls & latest production technology ensure our customers are supplied with high quality products no matter where they are.

SWR are also one of the worlds first manufacturers of belting & V-belts whose environmental performance has been certified with the Green Dove, the leading international standard in environmental protection, in accordance with DIN ISO 14001.




SWR provides impressive proof that a practical combination of environmental awareness & quality management can be successful.

Section	Width	Height	Multibelt rib pitch (mm)	Length range (mm)	Length range (inch)
SPB	16	13	19.0	2000 - 11430	
5V	16	13	17.5	2007 - 15240	79 - 600
SPC	22	18	25.5	2000 - 15240	
8V	25	23	28.6	2540 - 15240	100 - 600
HB	17	11	19.0	2007 - 15240	79 - 600
HC	22	14	25.5	2007 - 15240	79 - 600

Other lengths on request

Power Guard[®]
Power at its best!



SWR Belts are exclusively distributed by

NBC Group Ltd
Unit D, Stafford Park 18, Telford, TF3 3BN, England
T: +44 (0)1952 222300 E: telford@nbcgroup.co.uk

NBC Belfast
20 Ravenhill Road, Belfast, BT6 8EA
T: +44(0)2890 732321 E: belfast@nbcgroup.co.uk



www.nbcgroup.co.uk

